

PINAL COUNTY DEPARTMENT OF  
COMMUNITY DEVELOPMENT  
LIGHT PERMIT

1) JOB STREET ADDRESS: \_\_\_\_\_

2) ASSESSOR'S BOOK \_\_\_\_\_ MAP \_\_\_\_\_ PARCEL \_\_\_\_\_ SIZE OF PARCEL \_\_\_\_\_

3) LEGAL DESCRIPTION  
SUBDIVISION: \_\_\_\_\_ UNIT/BLOCK \_\_\_\_\_ LOT \_\_\_\_\_

SECTION \_\_\_\_\_ TOWNSHIP \_\_\_\_\_ RANGE \_\_\_\_\_

4) PROPERTY OWNER: \_\_\_\_\_ PHONE \_\_\_\_\_

ADDRESS: \_\_\_\_\_ CITY: \_\_\_\_\_ ST \_\_\_\_\_ ZIP \_\_\_\_\_

5) BUILDER/CONTRACTOR: \_\_\_\_\_ PHONE \_\_\_\_\_

ADDRESS: \_\_\_\_\_ CITY: \_\_\_\_\_ ST \_\_\_\_\_ ZIP \_\_\_\_\_

6) EXISTING BLDGS AND USES: \_\_\_\_\_

NOTE: ATTACH 8.5"X 11" SITE PLAN (DRAWN TO ENGR. SCALE) SHOWING PARCEL SIZE &  
DIMENSIONS, SETBACKS, ANY EXISTING BLDGS., EXISTING & PROPOSED LIGHTS. ATTACH  
TECHNICAL SPECIFICATIONS OF PROPOSED LIGHT.

7) TYPE OF LIGHTING: LOW PRESSURE SODIUM \_\_\_\_\_ METAL HALIDE \_\_\_\_\_ QUARTZ \_\_\_\_\_  
FLOURESCENT \_\_\_\_\_ FOSSIL FUEL \_\_\_\_\_ INCANDESCENT \_\_\_\_\_ NEON TUBE \_\_\_\_\_ ARGON \_\_\_\_\_  
KRYPTON \_\_\_\_\_ SEARCHLIGHT \_\_\_\_\_ OTHER (SPECIFY) \_\_\_\_\_

8) HEIGHT OF LIGHT \_\_\_\_\_ 9) TYPE OF SHIELDING \_\_\_\_\_

10) WATTAGE \_\_\_\_\_ 11) TYPE OF FILTRATION \_\_\_\_\_

12) PURPOSE OF LIGHT (BE SPECIFIC): \_\_\_\_\_

13) SETBACKS: (INDICATE N, S, E,W AFTER EACH DISTANCE)  
FRONT \_\_\_\_\_ LEFT SIDE \_\_\_\_\_ RIGHT SIDE \_\_\_\_\_ REAR \_\_\_\_\_

I hereby certify that this application and all submittals are true and correct.

\_\_\_\_\_  
SIGNATURE OF OWNER/APPLICANT

\_\_\_\_\_  
DATE

OFFICE USE ONLY

AREA \_\_\_\_\_  
DISTRICT \_\_\_\_\_  
ZONING \_\_\_\_\_

INSPECTOR \_\_\_\_\_  
IN-HOUSE \_\_\_\_\_  
ZONING FEE \_\_\_\_\_

RECEIPT \_\_\_\_\_

PER \_\_\_\_\_

## Light Permit Lumen Calculation Table

A		
B		
C		
D		
E		
F		
G		
H		
I		
J		
K		
L		
M		
N		
O		
P		
Q		
R		
S		
T		
U		
V		
W		
X		
Y		
Z		

*Total Lumens Calculation*


## Example Table for Calculating Lumen Output

Fixture	Type	Wattage	Lumens per Fixture	Total Number of Lamps	Shielding	Total Lumens	Height
A	Interior	NA	NA	NA	NA	NA	NA
B	Fluorescent	35 W	2,975	7	Full Shield	20,825	9'
C	Incandescent	100 W	1,750	11	Full Shield	19,250	10'
D	High Pressure Sodium	35 W	2,250	2	Full Shield	4,500	8'
E	High Pressure Sodium	50 W	4,000	4	Full Shield	16,000	15'
F	Metal Halide	250 W	16,000	2	Full Shield	32,000	10.5'
<i>Total Lumens Calculation</i>						92,575	

Fixture identification in first column must correspond to labeling on site plan (see example below). Proposed interior fixtures should not be included.

## Example for Light Site Plan

### Typical Building



### Typical Canopy

